

PROTO-PASTA MATTE FIBER PLA

**DOC VERSION:** 1

**PRINT DATE:** 09/26/2016

**REV DATE:** 

## **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME:** Proto-pasta Matte Fiber HTPLA

**SYNONYMS:** Proto-pasta HTMF **PRODUCT CODES:** HTMFXXXX-XXX

**RECOMMENDED USE:** For use in 3D printers at recommended temperatures

MANUFACTURER: Proto Plant

ADDRESS: 5601 East 18Th Street #102

Vancouver, WA 98661

**EMERGENCY PHONE**: 503-877-5268 **OTHER CALLS**: 503-877-5268 **HOMEPAGE**: www.protoplant.com

CONTACTS: Dustin Cram - Chief Engineer dustin@protoplant.com

## **SECTION 2: HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW:**

This is a polymeric compound. All ingredients are encapsulated by the polymer and present no likelihood of exposure under normal conditions of processing and handling.

## **GHS-US CLASSIFICATION**

This product is not classified under GHS

SIGNAL WORD: NONE HAZARD STATEMENT: NONE PRECAUTIONARY STATEMENT: NONE

## HAZARDS THAT DO NOT RESULT IN CLASSIFICATION

EYES: Solid/dust may cause irritation due to mechanical action. Dust will not be generated under normal

use conditions.

**SKIN:** Filament is not likely to cause irritation.

Contact with molten material may cause thermal burns.

**BURNS:** Molten material will cause thermal burns, avoid contact.

**INHALATION:** Processing fumes may cause irritation to the respiratory tract, use in well ventilated areas only.

CHRONIC HEALTH HAZARDS: None known for this compound.



PROTO-PASTA MATTE FIBER PLA

**DOC VERSION:** 1

**PRINT DATE:** 09/26/2016

**REV DATE:** 

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

INGREDIENTS	CAS NO.	% WT
Polylactide resin	9051-89-2	>89
Plant Fiber	9004-34-6	<10
Colorant	N/A	<1

#### **SECTION 4: FIRST AID MEASURES**

#### **EYES:**

First Aid not likely required. Flush with water. Consult physician if symptoms persist.

#### SKIN:

Wash with soap and water. For thermal burns, immediately flush with cold water. Do not attempt to remove polymer from skin. Obtain medical attention.

#### INGESTION:

Obtain immediate medical attention. For a poison emergency in the U.S. call 1-800-222-1222.

### **INHALATION:**

Leave exposed area and seek fresh air. If irritation persists, seek medical attention.

### NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

Treat symptomatically.

## **SECTION 5: FIRE-FIGHTING MEASURES**

## **FLAMMABILITY CLASS: 1**

## **EXTINGUISHING MEDIA:**

Foam. Water. Carbon Dioxide (CO2). Dry Chemical. Alcohol resistant foams are preferred if available. General purpose synthetic foams (including AFFF) or protein foams may function, but much less effectively.

#### **UNSUITABL EXTINGUISHING MEDIA:**

None Known

#### **SPECIAL FIREFIGHTING PROCEDURES:**

Persons exposed to products of combustion should wear NIOSH approved self contained breathing apparatus and full protective equipment.

### **UNUSUAL FIRE & EXPLOSION HAZARDS:**

This compound has no unusual fire or explosion hazards.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### PERSONAL PRECAUTIONS:

Sweep up scrap and store material neatly to prevent slipping hazard.



PROTO-PASTA MATTE FIBER PLA

**DOC VERSION:** 1

**PRINT DATE:** 09/26/2016

**REV DATE:** 

## **ENVIRONMENTAL PRECAUTIONS:**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

#### **METHODS FOR CLEANING UP:**

Cut filament into short pieces to prevent tripping. Dispose of in suitable containers.

#### **SECTION 7: HANDLING AND STORAGE**

#### PRECAUTIONS:

Proper purging and shut down procedures should be followed to avoid overheating of this compound. Use only at recommended printing temperatures. Product as shipped is not a combustible dust.

#### HANDLING AND STORAGE:

Store in a cool, dry place. Product as shipped is not a combustible dust. Mechanical handling can cause the formation of dusts. To reduce the risk for dust explosion do not permit dust to accumulate.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **ENGINEERING CONTROLS:**

Ensure adequate ventilation on workstation. Avoid dust build up.

#### **VENTILATION:**

Local exhaust is preferred.

## **RESPIRATORY PROCTECTION:**

A NIOSH approved respirator is recommended for protection against processing fumes, or from dust generated from grinding, sanding, or sawing operations.

#### **EYE PROTECTION:**

Safety glasses with side shields are recommended.

#### SKIN PROTECTION:

Impervious clothing. For prolonged handling, canvas or cotton gloves are recommended.

## **WORK HYGIENIC PRACTICES:**

Wash hands and dry hands thoroughly before and after handling product.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Rough, thin strand

**ODOR:** Light sweet odor during processing, no odor at room temperature

**ODOR THRESHOLD:** Not determined

pH: Not Applicable

**MELTING RANGE: 150C-180C** 



PROTO-PASTA MATTE FIBER PLA

**DOC VERSION:** 1

**PRINT DATE:** 09/26/2016

REV DATE:

BOILING POINT/RANGE: Not applicable

FLASH POINT: Not Determined

**EVAPORATION RATE:** Not determined

FLAMMABILITY: Combustible if heated

**UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: Not Determined** 

**VAPOR PRESSURE:** Not Determined

**VAPOR DENSITY: Not Determined** 

DENSITY: 1.2 g/cc

WATER SOLUBILITY: Insoluble

**SOLUBILITY IN OTHER SOLVENTS: Not determined** 

PARTITION COEFFICIENT: N-OCTANOL/WATER: Not Determined

**AUTO-IGNITION TEMPERATURE: 300C-400C** 

**DECOMPOSITION TEMPERATURE:** 482F (250C)

VISCOSITY: Not applicable

## **SECTION 10: STABILITY AND REACTIVITY**

**REACTIVITY:** Stable when stored as recommended

CONDITIONS TO AVOID: Temperatures above 446F (230 °C).

MATERIALS TO AVOID: Oxidizing agents. Strong bases.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Burning produces obnoxious and toxic fumes. Aldehydes. Carbon monoxide (CO). carbon dioxide (CO2).

Polymerization: Not applicable

## **SECTION 11: TOXICOLOGICAL INFORMATION**

PRINCIPLE ROUTES OF EXPOSURE: Eye contact, Skin contact, Inhalation, Ingestion.

**ACCUTE TOXICITY:** None Known

SKIN CORROSION/IRRITATION: Contact with dust/fumes may cause irritation

**SERIONS EYE DAMAGE/IRRITATION:** Contact with dust/fumes may cause irritation



PROTO-PASTA MATTE FIBER PLA

**DOC VERSION:** 1

**PRINT DATE:** 09/26/2016

**REV DATE:** 

**RESPIRATORTY OR SKIN SENSITIZATION:** None Known

**GERM CELL MUTAGENICITY: Not Determined** 

**CARCINOGENICITY: None Known** 

**REPRODUCTIVE TOXICITY: Not Determined** 

STOT-SINGLE EXPOSURE: Not Determined

STOT-SINGLE EXPOSURE: Not Determined

**ASPITIATION HAZARD: None Known** 

SECTION 12: ECOLOGICAL INFORMATION

**ECOTOXICITY EFFECTS:** Not Determined

**DEGRADABILITY AND PERSISTENCE: Not Determined** 

**BIOACCUMULATIVE POTENTIAL:** Not Determined

MOBILITY IN SOIL: Not Determined

SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:** In accordance with local and national regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. For recycling, contact local waste disposal centers.

**SECTION 14: TRANSPORT INFORMATION** 

**SECTION 14 NOTES:** Not regulated under the US Department of Transportation.

**SECTION 15: REGULATORY INFORMATION** 

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right To Know Act of 1986 and of 40 CFR 372: NONE

**SECTION 16: OTHER INFORMATION** 

**DISCLAIMER:** ProtoPlant believes that the information contained herein is accurate as of the date hereof. HOWEVER, NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREIN AS TO THE INFORMATION PROVIDED OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The health and safety precautions contained herein may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Nothing contained herein shall be construed as a license for the use of any product in a manner that would infringe existing patents.